

MATERIAL SAFETY DATA SHEET

Page 1 of 14

99-5000

MSDS Revision Date:

03/15/2013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 20(1/58 EC Standards MSDS Revision: 2.1 CHEMICAL RESPONSE CARD: 1. PRODUCT IDENTIFICATION Product Name: K & N AIR FILTER OIL AEROSOL RESPONSE TEAM PPE: Chamled Name: See ingredients listed in section 3 Synonyms: None reported by the manufacturer WHMIS: Trade Names: K & N Air Filter Oil Aeroso **HEALTH:** Product Use: Automotive Lubricant FLAMMABILITY: 4 Manufacturer's Name: K&N Engineering, Inc. REACTIVITY: Manufacturer's Address: P.O. Box 1329, Riverside, CA 92502-1329 USA PERSONAL PROTECTION: **Butiness Phone:** +1 (800) 858-3333 CHEMTREC +1 (800) 424-9300/+1 (703) 527-3887 (CCN 632715) - SEE ALSO LAST 2 PAGES Emergency Phone: 2. HAZARD IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). Extremely flammable aerosol. Vapor Harmful. Excessive inhalation of vapors may cause dizziness, nausea, and headache, loss of consciousness or even death if exposure is prolonged. May be harmful or fotal if swallowed. Repeated exposure may present cidditional hazards. YES YES Ingestion: Roules of Entry: YES Absorption: Inha ation: 2.3 Effects of Expanders EYES: May cause Irritation, redness and tearing. SKIN: may cause initation, detatting, drying and cracking of skin. INGESTION: May cause, gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs may cause chemical pneumonitis, which can be fatal. Can be fatal if inhaled or ingested. INHALATION: Vapors may be initating to nase, throat and respiratory tact. Excessive Inhalation of vapors may cause kidney damage, cardiac arrhythmia and Central Nervous System effects including dizziness, weakness, fatigue, nausea, headache and possible unconsciousness. Symptoms of Exposure: EYES: May cause Inflation, redness and tearing. SKIN: may cause irritation, defatting, drying and cracking of skin. INGESTION: May cause, gastrointestinal initation, nausea, vomiting and diarrhea. Aspiration of material into the lungs may cause chemical pneumonitis, which can be fatal. Can be fatal if inhaled or ingested. INHALATION: Vapors may be initiating to naise, throat and respiratory tact. Excessive inhalation of vapors may cause kidney damage, cordiac arrhythmia and Central Ne vous System effects including dizziness, weakness, fatigue, nausea, headache and possible unconsciousness. Acute Health Effects: EYES: May cause initation, redness and tearing. SKIN: may cause irritation, defatting, drying and cracking of skin. INGESTION: May cause, gastrointestinal initation, nausea. vomiting and diarrhea. Aspiration of material into the lungs may cause chemical pneumonitis, which can be fatal. Can be fatal il inhaled or ingested. INHALATION: Vapors may be initating to noise, throat and respiratory tact. Excessive inhalation of vapors may cause kidney damage, cardiac arrhythmia and Central Nervous System effects including dizzlness, weakness, fafigue, nausea, headache and possible unconsciousness. Chronic Health Mech: prolonged or repeated skin contact may cause irritation, dry skin, skin rash and inflammation. Torget Organs: Eyes and upper respiratory tract. Toxicological Properties: None reported by the manufacturer. See Section 16 for Additional Definitions of Terms Use:1. NOTE: All WHMIS required information is included – it is located in appropriate sections based on the ANSI 7400.1-2004 format.